Skamania County

Youth & Tobacco Data Summary 12th Grade

| \/aa= | \sim | \sim |
|-------|--------|--------|
| Year | ZU | UU |

| | 1001 250 | County % | State % |
|---|---|-----------------|---------------|
| 12th Grade S | Students Surveyed n= 52 | 100.0 % | 100.0 % |
| Gender | | | |
| Female | | 61.5 % | 49.5 % |
| Male | | 38.5 % | 50.5 % |
| Race/Ethnici | tv | | |
| Students of | | 5.8 % | 21.7 % |
| White | | 94.2 % | 78.3 % |
| *************************************** | | County %+/- | State %+/- |
| | | Margin | Margin |
| | | of Error | of Error |
| Past 30 days at least onc | , youth who have smoked cigarettes | | 3 |
| Female | n= 32 | 34.4 %+/- 16.5 | 29.3 %+/- 3.2 |
| Male | n= 20 | 20.0 %+/- 17.5 | |
| Total | n= 52 | 28.8 %+/- 12.3 | |
| | | | |
| - | , youth who have smoked cigars at least on | | |
| Female | n= 32 | 6.3 %+/- 8.4 | |
| Male | n= 20 | 20.0 %+/- 17.5 | |
| Total | n= 52 | 11.5 %+/- 8.7 | 13.1 %+/- 1.4 |
| Past 30 days | , youth who have smoked tobacco in a pipe |) | |
| at least once | 9 | | |
| Female | n= 32 | 3.1 %+/- 6.0 | 0.9 %+/- 0.5 |
| Male | n= 20 | 10.0 %+/- 13.1 | 2.4 %+/- 0.9 |
| Total | n= 52 | 5.8 %+/- 6.3 | 1.7 %+/- 0.5 |
| Past 30 days | , youth who have smoked bidis (flavored ci | garettes) | |
| at least once | · | 3 , | |
| Female | n= 32 | 9.4 %+/- 10.1 | 5.6 %+/- 1.6 |
| Male | n= 20 | 10.0 %+/- 13.1 | 7.2 %+/- 1.3 |
| Total | n= 52 | 9.6 %+/- 8.0 | 6.5 %+/- 1.0 |
| Pact 30 days | , youth who have used smokeless tobacco | | |
| - | bacco, snuff or dip) at least once | | |
| Female | n= 32 | 9.4 %+/- 10.1 | 1.3 %+/- 1.0 |
| Male | n= 20 | 20.0 %+/- 17.5 | 16.3 %+/- 2.3 |
| Total | n= 52 | 13.5 %+/- 9.3 | 8.8 %+/- 1.3 |
| | | | 0.0 /0-/ 110 |
| Past 30 days at least onc | , youth who have used any tobacco produc ໑ | t | |
| Female | n= 32 | 40.6 %+/- 17.0 | 31.8 %+/- 3.2 |
| Male | n= 20 | 30.0 %+/- 20.1 | 39.3 %+/- 2.9 |
| Total | n= 52 | 36.5 %+/- 13.1 | 35.6 %+/- 2.1 |
| i Ulai | 11- 32 | 30.3 70+/- 13.1 | 33.0 %T/- Z.1 |

Source: Washington State Department of Health Tobacco Prevention and Control

Assessment and Evaluation

n = number of survey respondents for county.

* = Rate not calculated because number of responses was less than 15.

Skamania County

Youth & Tobacco Data Summary 12th Grade Year 2000

| Year 2000 | | |
|--|-----------------------------------|----------------------------------|
| | County %+/- Margin of Error | State %+/- Margin of Error |
| About how many cigarettes have you smoked in your entire life? | n= 52 | |
| None | 46.2 %+/- 13.6 | 40.5 %+/- 2.1 |
| 1/2 pack or less | 28.8 %+/- 12.3 | 23.9 %+/- 1.8 |
| 1 - 4 packs | 11.5 %+/- 8.7 | 11.6 %+/- 1.4 |
| 5 or more packs | 13.5 %+/- 9.3 | 24.0 %+/- 1.9 |
| Do you want to stop using tobacco right now? | | |
| (among current tobacco users) | n= 11 | |
| Yes | * %+/- 0.0 | 63.6 %+/- 4.2 |
| Have you ever participated in a program to help you quit | | |
| using tobacco? (among current tobacco users) | n= 19 | |
| Yes | 0.0 %+/- 0.0 | 4.2 %+/- 1.6 |
| During past 12 months, did you ever try to quit using tobacco? | | |
| (cigarettes, cigars, or chew/dip)(among current tobacco users) | n= 18 | |
| Yes | 61.1 %+/- 22.5 | 63.9 %+/- 4.8 |
| Do you think you will smoke a cigarette at any time during | | |
| the next year? | n= 52 | |
| Definitely no | 59.6 %+/- 13.3 | 51.8 %+/- 2.2 |
| If one of your best friends offered you a cigarette, would you | | |
| smoke it? | n= 52 | |
| Definitely no | 63.5 %+/- 13.1 | 56.7 %+/- 2.2 |
| Susceptibility Index (combination of the previous two questions, | | |
| either of which receives any answer other than 'Definitely no') | n= 52 | =0.4.0/ / 0.0 |
| Susceptible | 42.3 %+/- 13.4 | 50.1 %+/- 2.2 |
| If one of your best friends offered you a cigarette, would you | 07 | |
| smoke it? (from among youth who did not smoke in last 30 days) | n= 37 | 70.0.0/./.0.0 |
| Definitely no | 89.2 %+/- 10.0 | 76.9 %+/- 2.0 |
| Do you think the smoke from other people's cigarettes | n- 50 | |
| (second-hand smoke) is harmful to you? | n= 52 | 02 0 0/ 1/ 4 4 |
| Definitely yes or Probably yes | 96.2 %+/- 5.2 | 92.9 %+/- 1.4 |
| Do you think it is safe to smoke for only a year or two, | | |
| as long as you quit after that? | n= 52 | 04.0.0/ : / .0.4 |
| Definitely no | 65.4 %+/- 12.9 | 64.3 %+/- 2.1 |

Skamania County

Youth & Tobacco Data Summary 12th Grade Year 2000

| real 2000 | County %+/- Margin of Error | State %+/- Margin of Error |
|---|-----------------------------------|----------------------------------|
| Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no | n= 52 34.6 %+/- 12.9 | 40.4 %+/- 2.1 |
| During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes | n= 52 21.2 %+/- 11.1 | 20.0 %+/- 1.7 |
| During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days | n= 52 30.8 %+/- 12.5 | 34.5 %+/- 3.3 |
| During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days | n= 52 23.1 %+/- 11.5 | 25.2 %+/- 3.1 |
| During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes | n= 52 9.6 %+/- 8.0 | 14.8 %+/- 1.5 |
| During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week | n= 52 65.4 %+/- 12.9 | 73.2 %+/- 2.0 |
| How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong | n= 52 21.2 %+/- 11.1 | 25.9 %+/- 2.0 |
| If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard | n= 52 13.5 %+/- 9.3 | 9.6 %+/- 1.3 |
| Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes | n= 51 66.7 %+/- 12.9 | 63.8 %+/- 2.1 |
| Does anyone who lives with you now smoke cigarettes? Yes | n= 52 26.9 %+/- 12.1 | 36.4 %+/- 3.4 |